## 480706122340502

## WATER WELL REPORT

STATE OF WASHINGTON

Application	No
Application	110

ا نې	anal and First Copy with	WASHINGTON	Application No	· / /
Report	fision of Water Resources Ad Copy — Owner's Copy Ad Copy — Driller's Copy	•	Permit No	سد د
	) 1) OWNER (Re-organized) Tame Holmes Harbor Estates	(11) WELL TESTS Was a pump test made? Yes	Drawdown is amount water lowered below static level	
Well	Address PO Box 42		120 ft drawdown after	1
>	Greenbank Wash	Tield - G gai/min with	120 It diawdown after	7 45 1113
this.		· , , , , , , , , , , , , , , , , , , ,		.,
	(2) LOCATION OF WELL.	Recovery data (time taken as :	zero when pump turned off	) (water leve
티	County Owner's number if any—	measured from well top to	water level)	Water Level
	SW 14 N.W. 14 Section 4 T 30 N R 2 5 WM	Time Water Leve	el Time V	water Level
຺	Bearing and distance from section or subdivision corner		-	
ation	-NO 10'E 100 From M 101 -1			
Ĕ	210 10 15 100 2 100 101		to total	
<u></u>		Date of test  Bailer test gal/min with	th ft drawdown afte	er hrs
Ě	4	Artesian flow	gp.m Date	
<u>_</u> [		Temperature of water Wa	as a chemical analysis made?	☐ Yes ☐ No
<u>ب</u> ے.	(3) TYPE OF WORK (check)	(10) YEELY LOC		Z
٦,	New Well Deepening Reconditioning Abandon If abandonment describe material and procedure in Item 11		Diameter of well	らい inches ろつる ft
्।	If abandonment describe indecreas and processing	-	Depth of completed well	
֖֖֚֓֞֞֞֞֜֞֓֓֓֓֓֓֓֡֟֓֓֓֡֡֓֓֓֡֡֓֡֓֡	(4) PROPOSED USE (check) (5) TYPE OF WELL	Formation Describe by color of show thickness of aquifers and to stratum penetrated, with at least	the kind and nature of the mi	aterial in eacl
<u>a</u>	Domestic M Industrial   Municipal   Rotary   Driven			
ā	Irrigation  Test Well  Other  Dug  Bored	MATERIA		
Da		Gravely Sand		0 4
<u>ا</u> ر	(6) CASING INSTALLED Threaded Welded	gravely and s	andy	
ٳۼ	Diam from tt to 303 ft Gage		ome soft	
	_ Diam from _ ft to ft Gage	Streaks -	<u> </u>	4 169
Ź,	Diam from ft to ft Gage		+mixture at	158
rran	7) PERFORATIONS Perforated? Yes   No	0 1	r 0F	
֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	Type of perforator used Slot	sand & gravel		58 281
Šì	SIZE of perforations #30 in by in	Water in mor	re open Mix	
Ļ١	y perforations from 283 ft to 303 ft	Sand the grave	51 — 2	281 303
Ō٤	perforations from ft to _ ft	:		
<u> </u>	perforations from ft to ft			
ě.	perforations from ft to ft			
ဗီ	perforations fromft toft			
. 5	(8) SCREENS Well screen installed XYes □ No			
Ď	Manufacturer's Name			
중	Type Model No			-
Ecology	Diam Slot size #30 Set from 283 ft to 303 ft	Work started May	1962 Completed July	A 196
	The Cot from St to St	(12) PIMP / Not 1	jet aquired	1
0"	(a) GONGERNYCHION			,
t.	(9) CONSTRUCTION  Was well gravel packed? □ Yes No Size of gravel	Manufacturer s Name		
9	Gravel placed from ft to ft	Type		
֖֖֚֚֡֡֞֞֞֓֓֓֓֓֓֓֓֡֡֓֓֓֡֡֡֡֝֡֡֡֡֡֡֡֡֡֡֡֡֡֡֡֡֡֡֡	Was a surface seal provided? ☐ Yes ☐ No To what depth?	Well Driller's Statement		
Department of	Material used in seal—		ider my jurisdiction and t	this report i
e	Did any strata contain unusable water?   Yes  No	true to the best of my know	ledge and belief	
	Type of water? Depth of strata	- Whidhair	Drillane	
ē.	Method of sealing strata off	NAME WNICIDEY	Drillers or corporation) (Type	or print)
The	(10) WATER LEVELS	12 0 277		Wach
	Static level 154 ft below land surface Date 7/16-67	Address Address		
	Arteslan pressure lbs per square inch Date	- Jan Dei	It landle =	) fola
4	Water is controlled by (Cap valve etc.)	[Signed]	(Well Driller)	- //
THE STREET	(Cap vaive etc.)	License No	Date	, 19



## Well Tagging Form

HASHINGTON STATE DEPARTMENT OF ECOLOGY	Unique Well Tag No:	AGA 827
RECOR	DVERIFICATION	neck/one
Well Report available (pie		nd submit it to the Ecology Regional Office near
Verification inconclusive		1 de la companya della companya della companya de la companya della companya dell
Well Report not available		The same of the sa
WELLOWNERSH	IPHEDIFE ERENIES	ROMWELLREPORT
First Name HOLMES HARBOR 33870		
Street Address		
City The stephen are	State State	And the second s
LOCATION OF WE	LUJEDIFERENT	FROM WELL REPORT
Well Address	2640 HARBO	IL ENTATES
City	County	
TN R	W M Sec	1/4 of the
	DIAVEEKO VAIREC	
Latitude		GPS
Longitude		Topographic Map  Survey  Computer generated
Elevation at land surface	feet/meters (circle one)	Digital Altimeter Topographic Map Other
Additional information, if available:		Other
Location marked on topographic Location marked on air photo (p	map (please attach)	te Health

ر دی: از الم	The state of the s			FORVA	HENCHARIS	EONEY		
Kepor				ر مراجع المسامة المسامة	HARACTE	RISTRICS.	The state of the s	
¥. ≣#	sical Desci	nption of w	reil (size	or casing type of wel	I housing etc)			
ש אל	" CAS	1NG 11	NSIDE	or casing type of well	EN PUMPHOU	OF W/TAN	min o	CABLED
			/		, )			
52 5	WOF	HOUJE	(~	15' x 15' x	15)			
<u> </u>						_		
<u>5</u>	ot 10/o	م عدد ما دا	Too					
.0 °	CAS	m identinca	ation (ay					
<u>5</u> -								· · · · · · · · · · · · · · · · · · ·
≘์ บ^		Il identifica						
<b>Š</b> s	supplen	nental tad	neede:	d for ease of ident	ifying weil?	Yes	No.	
5	• •	`	-		<u> </u>	J	<u> </u>	
֡֝֞֟֝֝֞֟֝֞֝֟֝֞֝֞֝֞֟ ֡֡֓֞	wnere w	as lag pia	aced?					
ב ב ב				7	4 000 (4 =0 000)			
	C	В	Α	Scale 12	4 000 (1 =2 000)			
ر - 5			-	Indicate th	ne location of the well	within the Section	by drawing a d	ot at that point
<u>`</u>	F	G	н	SECTION				
0	•••			QESTION.		<del></del>		
֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֡֓֡֓֡֓֓֓֡֓֡֓֡	L	K	J					
NO Varianty ule								
2	P	Q	R					
ָ ס ס								
) 5								
ָאַ אַר	MENTS				<u>*</u>			
Š	MENTS	····			<del>-7.</del>			· · · · · · · · · · · · · · · · · · ·
َ زَ -								
5 <sub>-</sub>							e and green a recognition of the state of	
֓֞֞֞֝֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	17017	ZMO	Hole	YAWA HER	4 H = 5 0 1 1 K 0	123 11:10	HRYAWI GO	NIX
		Time to the same	more and the		Control of the second of the s	enelle i de estado d		
ָ על	Right#				Date Issue	d		
֝֞֞֞֝֞֞֝֞֞֝֞֝֞֝֞֞֝֞֝֞֝֞֝֞֞֝֞֝֞֝֞֝֞֝֞֝֞	Right#							
<u> </u>	One	Application	<b>^</b> 77	Permit	Certificate	Claim	Eyempt	